

## TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
<b>CHAPTER 5 REACTOR COOLANT SYSTEM AND CONNECTED SYSTEMS.....</b>		<b>5.1-1</b>
<b>5.1 Summary Description.....</b>		<b>5.1-1</b>
5.1.1 Design Bases.....		5.1-1
5.1.2 Design Description .....		5.1-2
5.1.3 System Components.....		5.1-4
5.1.3.1 Reactor Vessel.....		5.1-4
5.1.3.2 AP1000 Steam Generator.....		5.1-4
5.1.3.3 Reactor Coolant Pumps .....		5.1-5
5.1.3.4 Primary Coolant Piping .....		5.1-6
5.1.3.5 Pressurizer .....		5.1-6
5.1.3.6 Pressurizer Safety Valves .....		5.1-6
5.1.3.7 Reactor Coolant System Automatic Depressurization Valves .....		5.1-6
5.1.4 System Performance Characteristics .....		5.1-7
5.1.4.1 Best-Estimate Flow .....		5.1-7
5.1.4.2 Minimum Measured Flow .....		5.1-7
5.1.4.3 Thermal Design Flow .....		5.1-8
5.1.4.4 Mechanical Design Flow.....		5.1-8
5.1.5 Combined License Information.....		5.1-8
<b>5.2 Integrity of Reactor Coolant Pressure Boundary .....</b>		<b>5.2-1</b>
5.2.1 Compliance with Codes and Code Cases.....		5.2-1
5.2.1.1 Compliance with 10 CFR 50.55a .....		5.2-1
5.2.1.2 Applicable Code Cases.....		5.2-3
5.2.1.3 Alternate Classification .....		5.2-4
5.2.2 Overpressure Protection.....		5.2-5
5.2.2.1 Design Bases .....		5.2-5
5.2.2.2 Design Evaluation .....		5.2-7
5.2.2.3 Piping and Instrumentation Diagrams .....		5.2-7
5.2.2.4 Equipment and Component Description.....		5.2-8
5.2.2.5 Mounting of Pressure Relief Devices .....		5.2-8
5.2.2.6 Applicable Codes and Classification .....		5.2-8
5.2.2.7 Material Specifications.....		5.2-8
5.2.2.8 Process Instrumentation.....		5.2-9
5.2.2.9 System Reliability .....		5.2-9
5.2.2.10 Testing and Inspection.....		5.2-9
5.2.3 Reactor Coolant Pressure Boundary Materials.....		5.2-9
5.2.3.1 Materials Specifications .....		5.2-9
5.2.3.2 Compatibility with Reactor Coolant .....		5.2-10
5.2.3.3 Fabrication and Processing of Ferritic Materials .....		5.2-13
5.2.3.4 Fabrication and Processing of Austenitic Stainless Steel .....		5.2-14
5.2.3.5 Threaded Fastener Lubricants .....		5.2-19

## TABLE OF CONTENTS (Cont.)

<u>Section</u>	<u>Title</u>	<u>Page</u>
5.2.4	Inservice Inspection and Testing of Class 1 Components .....	5.2-19
5.2.4.1	System Boundary Subject to Inspection .....	5.2-20
5.2.4.2	Arrangement and Inspectability.....	5.2-20
5.2.4.3	Examination Techniques and Procedures.....	5.2-21
5.2.4.4	Inspection Intervals .....	5.2-21
5.2.4.5	Examination Categories and Requirements.....	5.2-21
5.2.4.6	Evaluation of Examination Results .....	5.2-22
5.2.4.7	System Leakage and Hydrostatic Pressure Tests .....	5.2-22
5.2.5	Detection of Leakage Through Reactor Coolant Pressure Boundary .....	5.2-22
5.2.5.1	Collection and Monitoring of Identified Leakage.....	5.2-23
5.2.5.2	Intersystem Leakage Detection.....	5.2-24
5.2.5.3	Collection and Monitoring of Unidentified Leakage .....	5.2-25
5.2.5.4	Safety Evaluation .....	5.2-29
5.2.5.5	Tests and Inspections.....	5.2-29
5.2.5.6	Instrumentation Applications .....	5.2-29
5.2.5.7	Technical Specification .....	5.2-30
5.2.6	Combined License Information Items .....	5.2-31
5.2.6.1	ASME Code and Addenda .....	5.2-31
5.2.6.2	Plant-Specific Inspection Program .....	5.2-31
5.2.6.3	Response to Unidentified Reactor Coolant System Leakage Inside Containment .....	5.2-31
5.2.7	References.....	5.2-32
5.3	<b>Reactor Vessel.....</b>	<b>5.3-1</b>
5.3.1	Reactor Vessel Design .....	5.3-1
5.3.1.1	Safety Design Bases .....	5.3-1
5.3.1.2	Safety Description .....	5.3-1
5.3.1.3	System Safety Evaluation .....	5.3-3
5.3.1.4	Inservice Inspection/Inservice Testing .....	5.3-3
5.3.2	Reactor Vessel Materials.....	5.3-3
5.3.2.1	Material Specifications .....	5.3-3
5.3.2.2	Special Processes Used for Manufacturing and Fabrication .....	5.3-4
5.3.2.3	Special Methods for Nondestructive Examination .....	5.3-4
5.3.2.4	Special Controls for Ferritic and Austenitic Stainless Steels .....	5.3-6
5.3.2.5	Fracture Toughness .....	5.3-6
5.3.2.6	Material Surveillance .....	5.3-6
5.3.2.7	Reactor Vessel Fasteners .....	5.3-13
5.3.3	Pressure-Temperature Limits .....	5.3-13
5.3.3.1	Limit Curves.....	5.3-13
5.3.4	Reactor Vessel Integrity.....	5.3-14
5.3.4.1	Design .....	5.3-14
5.3.4.2	Materials of Construction .....	5.3-16

## TABLE OF CONTENTS (Cont.)

<u>Section</u>	<u>Title</u>	<u>Page</u>
5.3.4.3	Fabrication Methods.....	5.3-17
5.3.4.4	Inspection Requirements .....	5.3-17
5.3.4.5	Shipment and Installation.....	5.3-17
5.3.4.6	Operating Conditions .....	5.3-17
5.3.4.7	Inservice Surveillance .....	5.3-18
5.3.5	Reactor Vessel Insulation.....	5.3-20
5.3.5.1	Reactor Vessel Insulation Design Bases.....	5.3-20
5.3.5.2	Description of Insulation .....	5.3-21
5.3.5.3	Description of External Vessel Cooling Flooded Compartments .....	5.3-22
5.3.5.4	Determination of Forces on Insulation and Support System .....	5.3-22
5.3.5.5	Design Evaluation .....	5.3-23
5.3.6	Combined License Information.....	5.3-23
5.3.6.1	Pressure-Temperature Limit Curves .....	5.3-23
5.3.6.2	Reactor Vessel Materials Surveillance Program.....	5.3-23
5.3.6.3	Surveillance Capsule Lead Factor and Azimuthal Location Confirmation .....	5.3-23
5.3.6.4	Reactor Vessel Materials Properties Verification .....	5.3-24
5.3.6.5	Reactor Vessel Insulation .....	5.3-24
5.3.6.6	Inservice Inspection of Reactor Vessel Head Weld Buildup.....	5.3-24
5.3.7	References.....	5.3-25
5.4	<b>Component and Subsystem Design.....</b>	<b>5.4-1</b>
5.4.1	Reactor Coolant Pump Assembly .....	5.4-1
5.4.1.1	Design Bases .....	5.4-1
5.4.1.2	Pump Assembly Description .....	5.4-1
5.4.1.3	Design Evaluation .....	5.4-3
5.4.1.4	Tests and Inspections.....	5.4-9
5.4.2	Steam Generators .....	5.4-10
5.4.2.1	Design Bases .....	5.4-10
5.4.2.2	Design Description.....	5.4-11
5.4.2.3	Design Evaluation .....	5.4-13
5.4.2.4	Steam Generator Materials .....	5.4-16
5.4.2.5	Steam Generator Inservice Inspection .....	5.4-20
5.4.2.6	Quality Assurance .....	5.4-21
5.4.3	Reactor Coolant System Piping.....	5.4-21
5.4.3.1	Design Bases .....	5.4-21
5.4.3.2	Design Description.....	5.4-22
5.4.3.3	Design Evaluation .....	5.4-24
5.4.3.4	Material Corrosion/Erosion Evaluation .....	5.4-25
5.4.3.5	Test and Inspections .....	5.4-25

**TABLE OF CONTENTS (Cont.)**

<u>Section</u>	<u>Title</u>	<u>Page</u>
5.4.4	Main Steam Line Flow Restriction .....	5.4-26
	5.4.4.1    Design Bases .....	5.4-26
	5.4.4.2    Design Description .....	5.4-27
	5.4.4.3    Design Evaluation .....	5.4-27
	5.4.4.4    Inspections .....	5.4-27
5.4.5	Pressurizer.....	5.4-27
	5.4.5.1    Design Bases .....	5.4-27
	5.4.5.2    Design Description .....	5.4-29
	5.4.5.3    Design Evaluation .....	5.4-31
	5.4.5.4    Tests and Inspections .....	5.4-34
5.4.6	Automatic Depressurization System Valves .....	5.4-34
	5.4.6.1    Design Bases .....	5.4-34
	5.4.6.2    Design Description .....	5.4-35
	5.4.6.3    Design Verification .....	5.4-35
	5.4.6.4    Inspection and Testing Requirements .....	5.4-36
5.4.7	Normal Residual Heat Removal System .....	5.4-36
	5.4.7.1    Design Bases .....	5.4-37
	5.4.7.2    System Description .....	5.4-40
	5.4.7.3    Component Description .....	5.4-44
	5.4.7.4    System Operation and Performance .....	5.4-46
	5.4.7.5    Design Evaluation .....	5.4-48
	5.4.7.6    Inspection and Testing Requirements .....	5.4-49
	5.4.7.7    Instrumentation Requirements .....	5.4-50
5.4.8	Valves .....	5.4-50
	5.4.8.1    Design Bases .....	5.4-51
	5.4.8.2    Design Description .....	5.4-54
	5.4.8.3    Design Evaluation .....	5.4-55
	5.4.8.4    Tests and Inspections .....	5.4-55
	5.4.8.5    Preoperational Testing .....	5.4-56
5.4.9	Reactor Coolant System Pressure Relief Devices .....	5.4-59
	5.4.9.1    Design Bases .....	5.4-59
	5.4.9.2    Design Description .....	5.4-60
	5.4.9.3    Design Evaluation .....	5.4-60
	5.4.9.4    Tests and Inspections .....	5.4-61
5.4.10	Component Supports .....	5.4-62
	5.4.10.1    Design Bases .....	5.4-62
	5.4.10.2    Design Description .....	5.4-62
	5.4.10.3    Design Evaluation .....	5.4-64
	5.4.10.4    Tests and Inspections .....	5.4-65
5.4.11	Pressurizer Relief Discharge .....	5.4-65
	5.4.11.1    Design Bases .....	5.4-65
	5.4.11.2    System Description .....	5.4-66
	5.4.11.3    Safety Evaluation .....	5.4-66

**TABLE OF CONTENTS (Cont.)**

<b><u>Section</u></b>	<b><u>Title</u></b>	<b><u>Page</u></b>
	5.4.11.4 Instrumentation Requirements.....	5.4-66
	5.4.11.5 Inspection and Testing Requirements.....	5.4-67
5.4.12	Reactor Coolant System High Point Vents .....	5.4-67
	5.4.12.1 Design Bases .....	5.4-68
	5.4.12.2 System Description.....	5.4-69
	5.4.12.3 Safety Evaluation .....	5.4-69
	5.4.12.4 Inspection and Testing Requirements.....	5.4-70
	5.4.12.5 Instrumentation Requirements.....	5.4-70
5.4.13	Core Makeup Tank .....	5.4-70
	5.4.13.1 Design Bases .....	5.4-71
	5.4.13.2 Design Description.....	5.4-71
	5.4.13.3 Design Evaluation .....	5.4-72
	5.4.13.4 Material Corrosion/Erosion Evaluation .....	5.4-72
	5.4.13.5 Test and Inspections .....	5.4-72
5.4.14	Passive Residual Heat Removal Heat Exchanger .....	5.4-73
	5.4.14.1 Design Bases .....	5.4-73
	5.4.14.2 Design Description.....	5.4-73
	5.4.14.3 Design Evaluation .....	5.4-74
	5.4.14.4 Material Corrosion/Erosion Evaluation .....	5.4-75
	5.4.14.5 Testing and Inspections .....	5.4-75
5.4.15	Combined License Information.....	5.4-75
5.4.16	References.....	5.4-76

## LIST OF TABLES

<u>Table No.</u>	<u>Title</u>	<u>Page</u>
5.1-1	Principal System Pressures, Temperatures, and Flow Rates.....	5.1-9
5.1-2	Nominal System Design and Operating Parameters .....	5.1-10
5.1-3	Thermal-Hydraulic Parameters.....	5.1-11
5.2-1	Reactor Coolant Pressure Boundary Materials Specifications (Sheets 1 – 5).....	5.2-33
5.2-2	Reactor Coolant Water Chemistry Specifications .....	5.2-39
5.2-3	ASME Code Cases.....	5.2-40
5.3-1	Maximum Limits for Elements of the Reactor Vessel.....	5.3-26
5.3-2	Reactor Vessel Quality Assurance Program.....	5.3-27
5.3-3	End-of-Life RT <sub>NDT</sub> and Upper Shelf Energy Projections.....	5.3-29
5.3-4	Reactor Vessel Material Surveillance Program .....	5.3-30
5.3-5	Reactor Vessel Design Parameters .....	5.3-31
5.4-1	Reactor Coolant Pump Design Parameters.....	5.4-77
5.4-2	Not Used	
5.4-3	Reactor Coolant Pump Quality Assurance Program.....	5.4-79
5.4-4	Steam Generator Design Requirements.....	5.4-80
5.4-5	Steam Generator Design Parameters (Nominal Values).....	5.4-81
5.4-6	Steam Generator Quality Assurance Program .....	5.4-82
5.4-7	Reactor Coolant System Piping Design.....	5.4-83
5.4-8	Reactor Coolant System Piping Quality Assurance Program .....	5.4-84
5.4-9	Pressurizer Design Data .....	5.4-85
5.4-10	Pressurizer Heater Group Parameters.....	5.4-86
5.4-11	Reactor Coolant System Design Pressure Settings.....	5.4-87
5.4-12	Pressurizer Quality Assurance Program .....	5.4-88
5.4-13	Design Bases for Normal Residual Heat Removal System Operation.....	5.4-89
5.4-14	Normal Residual Heat Removal System Component Data.....	5.4-90
5.4-15	Reactor Coolant System Valve Design Parameters .....	5.4-91
5.4-16	Reactor Coolant System Motor-Operated Valves Design Opening and Closing Pressures .....	5.4-92
5.4-17	Pressurizer Safety Valves – Design Parameters .....	5.4-93
5.4-18	Reactor Vessel Head Vent System Design Parameters.....	5.4-94

## LIST OF FIGURES

<u>Figure No.</u>	<u>Title</u>	<u>Page</u>
5.1-1	Reactor Coolant System Schematic Flow Diagram .....	5.1-12
5.1-2	Reactor Coolant Loops – Isometric View.....	5.1-13
5.1-3	Reactor Coolant System – Loop Layout.....	5.1-15
5.1-4	Reactor Coolant System – Elevation .....	5.1-17
5.1-5	Reactor Coolant System Piping and Instrumentation Diagram (Sheets 1 – 3).....	5.1-19
5.2-1	Leak Detection Approach.....	5.2-41
5.3-1	Reactor Vessel.....	5.3-32
5.3-2	AP1000 Reactor Coolant System Heatup Limitations (Heatup Rate Up to 50 and 100°F/hour) Representative for the First 54 EFPY (Without Margins for Instrumentation Errors) .....	5.3-33
5.3-3	AP1000 Reactor Coolant System Cooldown Limitations (Cooldown Rates up to 50 and 100°F/hour) Representative for the First 54 EFPY (Without Margins for Instrumentation Errors) .....	5.3-34
5.3-4	AP1000 Reactor Vessel Surveillance Capsules Locations .....	5.3-35
5.3-5	Reactor Vessel Key Dimensions Plan View.....	5.3-36
5.3-6	Reactor Vessel Key Dimensions, Side View.....	5.3-37
5.3-7	Schematic of Reactor Vessel Insulation .....	5.3-38
5.3-8	RCS Flooded Compartments During Ex-Vessel Cooling.....	5.3-39
5.3-9	Door Between RCDT Room and Reactor Cavity Compartment .....	5.3-40
5.4-1	Reactor Coolant Pump .....	5.4-95
5.4-2	Steam Generator.....	5.4-96
5.4-3	Support Plate Geometry (Trifoil Holes) .....	5.4-97
5.4-4	Surge Line .....	5.4-98
5.4-5	Pressurizer .....	5.4-99
5.4-6	Normal Residual Heat Removal System .....	5.4-100
5.4-7	Normal Residual Heat Removal System Piping and Instrument Diagram.....	5.4-101
5.4-8	Reactor Vessel Head Vent System .....	5.4-103